FORM PTO-1449 (Modified)		•	ment of Commerce Frademark Office	Attorney Docket No.: Fo	ORS-08314	Serial No.: 10/655,362			
(Use Several Sheets If Necessary) (37 CFR [] 1.98(b))									
(37 CFR (1.98(b))			Applicant: Fang Dong e	t al.	<u></u>				
		(	JAN 23 .		Filing Date: 09/04/2003		Group Art Uni	t: 1634	
				U.S. PATENT DOC					
Examiner	Cite	Serial / Patent	Issue Date		ant / Patentee	Class	Subclass	Filing	Date
Initials EW	No.	Number	06/06/95	Dah	lberg et al.	435	91.53	12/0	7/92
	2	5,422,253 5,427,930	06/27/95			435	91.52	06/2	
	3		07/04/95	Birkenmeyer et al.  Matson et al.		422	131	10/28/93	
		5,429,807	07/25/95		thern et al.	536	25.34	09/2	
	4	5,436,327				435	91.52	11/2	
	5	5,494,810	02/27/96 02/04/97		any et al.  ase et al.	435	91.1	02/2	
	7	5,599,695	04/13/93		anac et al.	435	6	06/1	
<del></del>		5,202,231 5,492,806	02/20/96		ianac et al.	435	5	04/1	
	. <u>8</u> . 9	5,510,270	04/23/96		dor et al.	436	518		
	10	5,656,744	08/12/97		ld, Jr., et al.	536	25.3	09/30/92 07/07/95	
<del></del>	10				REIGN PATENT APPLICA		1 23.3	<u> </u>	
	· · · ·						T	T	1-4:
		Document Number	Publication Date	Country	/ Patent Office Class		Subclass	Translation	
	Number					Yes	No		
	11	WO 95/15267	1995 PCT						
	12	WO 97/27214	1997		PCT				
	_ 13	WO 98/23774	1998	PCT					
	14								
OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)									
Abrams et al., "Comprehensive Detection of Single Base Changes in Human Genomic DNA Using Denaturing Gradient Gel Electrophoresis and									
	16								
	17	Bains and Smith, "A Novel Method for Nucleic Acid Sequence Determination," J. Theor. Biol. 135:303-307 [1988]							
	18	Bains and Smith, "A Novel Method for Nucleic Acid Sequence Determination," J. Inecr. Biol. 133:303-307 [1988]  Banerice et al., "inhA, a Gene Encoding a Target for Isoniazid and Ethionamide in Mycobacterium tuberculosis," Science 263:227-230 [1994]							
	19	Barany, "The Ligase Chain Reaction in a PCR World," PCR Meth. App. 1:5-16 [1991]							
	20 Barlow and Lehrach, "Genetics by gel electrophoresis: the impact of pulsed field gel electrophoresis on mammalian genetics," Trends Genet.								
		3:167-171 [1987]							
	21	Bidou et al., "In vivo HIV-1 frameshifting efficiency is directly related to the stability of the stem-loop stimulatory signal," RNA 3:1153-1158							
	22	Borrensen et al., "Constant denaturant gel electrophoresis as a rapid screening technique for p53 mutations," Proc. Natl. Acad. Sci. USA 88:8405-8409 [1991]							
	23	Brow et al., "Differentiation of Bacterial 16S rRNA Genes and Intergenic Regions and Mycobacterium tuberculosis katG Genes by Structure- Specific Endonuclease Cleavage," J. Clin. Microbiol. 34:3129-3137 [1996]							
V	24	Chee et al., "Access	ing Genetic Information	on with High-Density	DNA Arrays," Science 274				
Examiner:	/Ethan	n Whisenant/		·	Date Considered:	04/27/20			
EXAMINER:	lnit	tial citation considered	. Draw line through o	citation if not in confo	rmance and not considered	. Include copy of	f this form with		
next communication to applicant									

FORM PTO-1449 (Modified)		U.S. Department of Commerce Patent and Trademark Office	Attorney Docket No.: FORS-08314	Serial No.: 10/655,362		
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)			·			
(37 CFR <sup>0</sup> 1.98(b))			Applicant: Fang Dong et al.			
			Filing Date: 09/04/2003	Group Art Unit: 1634		
		OTHER DOCUMENTS (Including Author, Title, D				
EW	25	Cload and Schepartz, "Polyether Tethered Oligonucleotide Prob	oes," J. Am. Chem. Soc. 113:6324-6326 [1991]			
	26	Cockerill, Ill et al., "Rapid Identification of a Point Mutation of with Isoniazid Resistance," J. Infect. Dis. 171:240-245 [1995]	the Mycobacterium tuberculosis Catalase-Po	eroxidase (katG) Gene Associated		
	27	Compton in PCR Protocols, Innis et al. (Eds.), [1990], pp. 39-4:	5			
	28	Conner, "Detection of sickle cell β <sup>S</sup> -globin allele by hybridization	idization with synthetic oligonucleotides," Proc. Natl. Acad. Sci. 80:278-282 [1983]			
	29	Donnabella et al., "Isolation of the Gene for the β Subunit of RN Indentification of New Mutations," Am. J. Respir. Dis. 11:639-6	β Subunit of RNA Polymerase from Rifampicin-resistant <i>Mycobacterium tuberculosis</i> and ir. Dis. 11:639-643 [1994]			
	30	Doty et al., "Strand Separation and Specific Recombination in I 46:461 [1960]	Deoxyribonucleic Acids: Physical Chemical S	Studies," Proc. Natl. Acad. Sci. USA		
	31	Drmanac et al., "Sequencing of Megabase Plus DNA by Hybrid	ization: Theory of the Method," Genomics 4	:114-128 [1989]		
	32	Duckett et al., "The Structure of the Holliday Junction, and Its F	Resolution," <i>Cell</i> 55:79-89 [1988]			
	33	Eckstein and Lilley (eds.), <u>Nucleic Acids and Molecular Biolog</u> but is available upon request of the Examiner).	Eckstein and Lilley (eds.), Nucleic Acids and Molecular Biology, vol. 2, Springer-Verlag, Heidelberg [1988]. (This publication is not provided but is available upon request of the Examiner).			
	34	Fedorova et al., "The Influence of the Target Structure on the Efficiency of Alkylation of Single-Stranded DNA with the Reactive Derivatives of Antisense Oligonucleotides," FEBS Lett. 302:47-50 [1992]				
	35	Fodor et al., "Light-Directed, Spatially Addressable Parallel Chemical Synthesis," Science 251:767-773 [1991]				
	36	Fodor et al., "Multiplexed biochemical assays with biological chips," Nature 364:555-556 [1993]				
	37	Francois et al., "Recognition and Cleavage of Hairpin Structures in Nucleic Acids by Oligodeoxynucleotides," Nucleic Acids Research 22(19):343-3950 [1994]				
	38	Frieden et al., "The Emergence of Drug-Resistant Tuberculosis in New York City," New Engl. J. Med. 328:521-526 [1993]				
	39	Gamper et al., "Solution Hybridization of Crosslinkable DNA Oligonucleotides to Bacteriophage M13 DNA Oligonucleotides to Bacteriophage M13 DNA: Effect of Secondary Structure on Hybridization Kinetics and Equilibria," J. Mol. Biol. 197:349-362 [1987]				
	40	Gaspin and Westhof, "An Interactive Framework for RNA Secondary Structure Prediction with a Dynamical Treatment of Constrains," J. Mol. Biol. 254:163 [1995]				
	41	Gesteland and Atkins (eds.), The RNA World, Cold Spring Harl provided but is available upon request of the Examiner).	bor Laboratory Press, Cold Spring Harbor, N	Y [1993]. (This publication is not		
	42	Girelli et al., "Hereditary Hyperferritinemia-Cataract Syndrome L-Subunit Gene," Blood 90:2084 [1997]				
	43	Godard et al., "Photochemically and Chemically Activatable Ar RNA Targets," Nuc. Acids Res. 22;4789-4795 [1994]	ntisense Oligonucleotides: Comparison of Th	eir Reactivities Towards DNA and		
	44	Gogos et al., "Detection of single base mismatches of thymine a presence of tetralkylammonium salts," Nucl. Acids Res. 18:6807		anate and hydroxylamine in the		
	45	Hanke et al., "Repetitive Alu Elements form a Cruciform Struct J. Mol. Biol. 246:63 [1995]	ure that Regulates the Function of the Huma			
	46	Harrington and Lieber, "Functional domains within FEN-1 and RAD2 define a family of structure-specific endonucleases: implications for nucleotide excision repair," Genes and Develop, 3:1344-1355 [1994]				
	47	Hayashi, "PCR-SSCP: A Simple and Sensitive Method for Dete	ction of Mutations in the Genomic DNA," P	CR Meth. Appl. 1:34-38 [1991]		
	48	Heym et al., "Implications of multidrug resistance for the future 344:293-298 [1994]	of short0-course chemotherapy of tuberculo	sis: a molecular study," Lancet		
	49	Hirao et al., "Most Compact Hairpin-Turn Structure Exerted by Structure Resistant to Nucleases and Heat," Nucleic Acids Res.	a Short DNA Fragment, d(GCGAAGC) in S 22(4):576-582 [1994]	Solution: An Extraordinarily Stable		
V	50	Howe and Ares, "Intron self-complementarity enforces exon inc		ead. Sci. USA 94:1246712472 [1997]		
Examiner:	Examiner: /Ethan Whisenant/ Date Considered: 04/27/2006					
EXAMINER	Init	tial citation considered. Draw line through citation if not in confo	rmance and not considered. Include copy of	this form with		

FORM PTO-1449 (Modified)		U.S. Department of Commerce Patent and Trademark Office	Attorney Docket No.: FORS-08314	Serial No.: 10/655,362		
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)						
(37 CFR 0 1.9	8(b))					
			Applicant: Fang Dong et al.			
			Filing Date: 09/04/2003	Group Art Unit: 1634		
		OTHER DOCUMENTS (Including Author, Title, D	ate, Relevant Pages, Place of Publication)			
EW	51	Hughes, "The Resurgence of tuberculosis," Scrip Magazine, pp.	46-48 [May 1994]			
	52	Jacobs, Jr. et al., "Rapid Assessment of Drug Susceptibilities of 260:819-822 [1993]	Mycobacterium tuberculosis by Means of L	uciferase Reporter Phages," Science		
	53	Jacobs, Jr., "Multiple-Drug-Resistant Tuberculosis," Clin. Infect				
	54	Jaeger et al., "Improved predictions of secondary structures for I				
	55	Jaeger et al., "Predicting Optimal and Suboptimal Secondary St	ructure for RNA," Meth. Enzymol. 183:281-	306 [1990]		
	56	Kaczorowski and Szybalski, "Co-Operativity of hexamer ligation				
<del></del>	57	Kanai et al., "HCV genotypes in chronic hepatitis C and respons	······································			
	58	Kwok et al., "Effects of Primer - Template Mismatches on the P Studies," Nucl. Acids. Res. 18:999-1005 [1990]				
	59	Lerman and Silverstein, "Computational Simulation of DNA Mo Enzymol. 155:482-501 [1987]	elting and Its Application to Denaturing Gra	dient Gel Electrophoresis," Meth.		
	60	Lima et al., "Implication of RNA Structure on Antisense Oligon	ucleotide Hybridization Kinetics," Biochem.	31:12055-12061 [1992]		
	61	Liu and Sommer, ""Parameters Affecting the Sensitivities of Die	deoxy Fingerprinting and SSCP, * PCR Meth	ods Appli., 4:97-108 [1994]		
	62	Lowman and Draper, "On the Recognition of Helical RNa by Cobra Venom V <sub>1</sub> Nuclease," J. Biol. Chem., 261:5396-5403 [1986]				
	63	Lyamichev et al., "Structure-Specific Endonucleolytic Cleavage of Nucleic Acids by Eubacterial DNA Polymerase," Science 260: 778-7322				
	64	Mangada and Igarishi, "Sequences of Terminal Non-Coding Regions from Four Dengue-2 Viruses Isolated from Patients Exhibiting Different Disease Severities," Virus Genes 14:1:5-12 [1997]				
	65	Marmur and Lane, "Strand Separation and Specific Recombinat 46:453-461 [1960]	ion in Deoxyribonucleic Acids: Biological S	itudies," Proc. Natl. Acad. Sci. USA		
	66	Maskos and Southern, "Parallel analysis of oligodeoxyribonucleotide (oligonucleotide) interactions. I. Analysis of factors influencing oligonucleotide duplex formation," <i>Nucleic Acids Res</i> 20(7):1675-1678 [1992]				
	67	Miller, et al., "Multiple Biological Roles Associates with the Rous Sarcoma Virus 5' Untranslated RNa U5-IR Stem and Looe," J Virol., 71:7648-765 [1997]				
	68	Morris et al., "Molecular Mechanisms of Multiple Drug Resista 960 [1995]	nce in Clinical Isolates of Mycobacterium tu	berculosis," J. Infect. Dis. 171:954-		
	69	Murante, R.S., et al., "The Calf 5'- to 3'Exonuclease Is Also an Ithe Point of Cleavage," J. Biol. Chem. 269:1191-1196 [1994]	Endonuclease with Both Activities Dependen	nt on Primers Annealed Upstream of		
	70	Myers et al., "Reverse Transcription and DNA Amplification by	a Thermus thermophilus DNA Polymerase,	" <i>Biochem.</i> 30:7661-7666 [1991]		
	71	Myers et al., "Detection of Single Base Substitutions by Ribonuclease Cleavage at Mismatches in RNA:DNA Duplexes," Science 230:1242-1246 [1985]				
	72	Okamoto et al. "Typing hepatitis C virus by polymerase chain reaction with type-specific primers: application to clinical surveys and tracing infectious sources," J. Gen. Virol. 73:673-679 [1992]				
	73	Orita et al., "Rapid and Sensitive Detection of Point Mutations and DNA Polymorphisms Using the Polymerase Chain Reaction," Genomics 5:874-879 [1989]				
	74	Parkhurst and Parkhurst, "Kinetic Studies by Fluorescence Resonance Energy Transfer Employing a Double-Labeled Oligonucleotide: Hybridization to the Oligonucleotide Complement and to Single-Stranded DNA," Biochem. 34:285-292 [1995]				
$\bigvee$	75	Patel et al., "Formation of Chimeric DNA Primer Extension Products by Template Switching Onto An Annealed Downstream Oligonucleotide," Proc. Natl. Acad. Sci. USA 93:2969-2974 [1996]				
Examiner	Examiner /Ethan Whisenant/ Date Considered: 04/27/2006					
EXAMINER:		tial citation considered. Draw line through citation if not in conform to communication to applicant.	rmance and not considered. Include copy of	this form with		

FORM PTO-1449 U.S. Department of Commerce Attorney Docket No.: FORS-08314 Serial No.: 10/655,362 (Modified) Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) (37 CFR 0 1.98(b)) Applicant: Fang Dong et al. Group Art Unit; 1634 Filing Date: 09/04/2003 OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) EW Perlman and Butow, "Mobile Introns and Intron-Encoded Proteins," Science 246:1106-1109 [1989] 76 77 Proutski et al., "Secondary structure of the 3'-untranslated region of yellow fever virus: implications for virulence, attenuation and vaccine development," J Gen Virol., 78:1543-1549 [1997] 78 Richardson and Schepartz, "Tethered Oligonucleotide Probes. A Strategy for the Recognition of Structured RNA," J. Am. Chem. Soc. 113:5109-5111 [1991] Sambrook et al, Molecular Cloning: A Laboratory Manual, 2nd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY [1989]. (This 79 publication is not provided but is available upon request of the Examiner). 80 Scholz, et al., "Rapid screening for Tp53 mutations by temperature gradient gel electrophoresis: a comparison with SSCP analysis," Hum. Mol. Genet. 2:2155-2158 [1993] Schwille et al., "Quantitative Hybridization Kinetics of DNA Probes to RNA in Solution Followed by Diffusional Fluorescence Correlation Analysis," Biochem. 35:10182-10193 [1996] Serano and Cohen, "A Small Predicted Stem-Loop Structure Mediates Oocyte Localization of Drosophila K10 mRNA," Development 121:3809-82 Sheffield et al., "Attachment of a 40-base-pair G+C-rich sequence (GC-clamp) to genomic DNA fragments by the polymerase chain reaction 83 results in improved detection of single-base changes," Proc. Natl. Acad. Sci. 86:232-236 [1989] Shibata in PCR: The Polymerase Chain Reaction, "Preparation of Nucleic Acids for Archival Material," (eds., Mullis et al.) Boston, pp. 47-54 [1994] Shinnick and Jones in Tuberculosis: Pathogenesis, Protection and Control, "Molecular Approaches to the Diagnosis of Tuberculosis," (ed., 85 Bloom), American Society of Microbiology, Washington, D.C. [1994], pp. 517-530 Smith et al., "Novel Method of Detecting Single Base Substitutions in RNA Molecules by Differential Melting Behavior in Solution," Genomics 86 Southern et al., "Analyzing and Comparing Nucleic Acid Sequences by Hybridization to Arrays of Oligonucleotides: Evaluation Using 87 Experimental Models," Genomics 13:1008-1017 [1992] 22 Thompson et al., "Microsatellite deletions in the c-myb transcriptional attenuator region associated with over-expression in colon tumour cell lines," Oncogene 14:1715 [1997] Veyrune et al, "c-fos mRNA instability determinants present within both the coding and the 3' non coding region link the degradation of this 89 mRNA to its translation," Oncogene 11:2127 [1995] Wallace et al., "Hybridization of Synthetic Oligodeoxyribonucleotides to \$\Phix174 DNA: The Effect of Single Base Pair Mismatch," Nucl. Acids Res. 6:3543-3557 [1979] Ward, et al., "Changes in the NS Gene of Neurovirulent Strains of Influenza Affect Splicing," Virus Genes 10:1:91-94 [1995] 91 Wartell et al., "Detecting base pair substitutions in DNA fragments by temperature-gradient gel electrophoresis," Nucl. Acids Res. 18:2699-2701 Winter et al., "A method to detect and characterize point mutations in transcribed genes: Amplification and overexpression of the mutant c-Ki-93 ras allele in human tumor cells," Proc. Natl. Acad. Sci. USA 82:7575-7579 [1985] 94 Woese, "Bacterial Evolution," Microbiological Reviews 51(2):221-271 [1987] Yang and Millar, "Conformational Flexibility of Three-Way DNA Junctions Containing Unpaired Nucleotides," Biochemistry 35:7959-7967 [1996] Yoshioka et al., "Detection of Hepatitis C Virus by Polymerase Chain Reaction and Response to Interferon-a Therapy: Relationship to 96 Genotypes of Hepatitis C Virus," Hepatology 16:293-299 [1992] 97 Youil, et al., "Detection of 81 of 81 Known Mouse \$-Globin Promotor Mutations with T4 Endonuclease VII - The EMC Method," Genomics, 32:431 [1996] Yule, "Amplification-Based Diagnostics Target TB," Bio/Technology 12:1335-1337 [1994] Q8 04/27/2006 /Ethan Whisenant/ Date Considered: Examiner: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with **EXAMINER:** 

next communication to applicant.

				<del>, , , , , , , , , , , , , , , , , , , </del>		
FORM PTO-1449 (Modified)		149	U.S. Department of Commerce Patent and Trademark Office	Attorney Docket No.: FORS-08314	Serial No.: 10/655,362	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)						
(37 CFR <sup>[]</sup> 1.98(b))						
				Applicant: Fang Dong et al.		
			·	Filing Date: 09/04/2003	Group Art Unit: 1634	
		•	OTHER DOCUMENTS (Including Author, Title, D	ate, Relevant Pages, Place of Publication)		
E'	W	99	Zarrinkar and Williamson, "Kinetic Intermediates in RNA Foldi			
		100				
		101	Zhong et al., "Effect of T-T Base Mismatches on Three-Arm DNA Junctions," Biochemistry 32:6898-6907 [1993]			
		102	Zucker, "On Finding All Suboptimal Foldings of an RNA Molec	culc," Science 244:48-52 [1989]		
		103	Zuker and Jacobson, "'Well-Determined' Regions in RNA Secon Acids Research 23(14):2791-2798 [1995]	ndary Structure Prediction: Analysis of Smal	Subunit Ribosomal RNA," Nucleic	
		104	Azhayeva et al., "Looped Oligonucleotides Form Stable Hybrid [1995]	Complexes with a Single-Stranded DNA," A	lucl. Acids Res. 23(7):1170-1176	
		105	Blume et al., "Divalent Transition Metal Cations Counteract Pol Res. 25(3):617-625 [1997]	tassium-Induced Quadruplex Assembly of O	ligo(dG) Sequences," Nucl. Acids	
		106	Brossalina and Toulme, "A DNA Hairpin as a Target for Antises	nse Oligonucleotides," J. Am. Chem. Soc. 11	5:796-797 [1993]	
		107 <sup>.</sup>	Butorin et al., "Comparison of the Hydrolysis Patterns of Several tRNAs by Cobra Venom Ribonuclease in Different Steps of the Aminoacylation Reaction," Eur. J. Biochem. 121:587-595 [1982]			
		108	Cech, "Structure and Mechanism of the Large Catalytic RNAs: Group I and Group II Introns and Ribonuclease P," Chapter 11 in The RNA World, Cold Spring Harbor Laboratory Press, New York, pp. 239-269 [1993]			
		109	Clark, "DNA Synthesis on Discontinuous Templates by DNA Polymerase I of Escherichia coli," Gene 104:75-80 [1991]			
		110	Cload et al., "Kinetic and Thermodynamic Analysis of RNA Binding by Tethered Oligonucleotide Probes: Alternative Structures and Conformational Changes," J. Am. Chem. Soc. 115(12):5005-5014 [1993]			
		111	Delihas et al., "Natural Antisense RNA/Target RNA Interactions: Possible Models for Antisense Oligonucleotide Drug Design," Nature Biotech. 15:751-753 [1997]			
		112	DeRisi et al., "Use of a cDNA Microarray to Analyse Gene Exp	ression Patterns in Human Cancer," Nature	Genetics 14:457-460 [1996]	
	·	113	Derrick and Horowitz, "Probing Structural Differences Between Native and In Vitro Transcribed Escherichia coli Valine Transfer RNA:  Evidence For Stable Base Modification-Dependent Conformers," Nucl. Acids Res. 21(21):4948-4953 [1993]			
		114	Frischer et al., "Differential sensitivity of 16S rRNA targeted oligonucleotide probes used for fluorescence in situ hybridization is a result of ribosomal higher order structure," Can. J. Microbiol 42;1061-1071 [1996]			
		115	Guo et al., "Asymmetric Structure of a Three-Arm DNA Junction	on," Biochemistry 29:10927-10934 [1990]		
		116	Hoheisel, "Sequence-independent and linear variation of oligons	ucleotide DNA binding stabilities," Nucl. Ac	ids Res. 24(3):430-432 [1996]	
		117	Lane et al., "The Thermodynamic Advantage of DNA Oligonucleotide 'Stacking Hybridization' Reactions: Energetics of a DNA Nick," Nucl. Acids Res. 25(3):611-616 [1997]			
		118	Lilley and Kemper, "Cruciform-Resolvase Interactions in Super	coiled DNA," Cell 36:413-422 [1984]		
		119	Lima et al., "Combinatorial Screening and Rational Optimization for Hybridization to Folded Hepatitis C Virus RNA of Oligonucleotides with Biological Antisense Activity," J. Biol. Chem. 272(1):626-638 [1997]			
		120	Lu et al., "Effect of Sequence on the Structure of Three-Arm DNA Junctions," Biochemistry 30(24):5815-5820 [1991]			
		121	Ma et al., "Three-Arm Nucleic Acid Junctions are Flexible," Nucl. Acid Res. 14:9745-9753 [1986]			
		122	Malygin et al., "Hybridization of Two Oligodeoxynucleotides to Both Strands of an RNA Hairpin Structure Increases the Efficiency of RNA- DNA Duplex Formation," FEBS Letters 392:114-116 [1996]			
		123	Matveeva et al., "A Rapid In Vitro Method for Obtaining RNA Accessibility Patterns for Complementary DNA Probes: Correlation with an Intracellular Pattern and Known RNA Structures," Nucl. Acids Res. 25(24):5010-5016 [1991]			
Milner et al., "Selecting Effective Antisense Reagents On Combinatorial Oligonucleotide Arrays," Nature Biotech, 15:537-541 [1997]					iotech, 15:537-541 [1997]	
Examiner /Ethan Whisenant/ Date Considered: 04/27/2006						
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.						

FORM PTO-1449 (Modified)		49	U.S. Department of Commerce Patent and Trademark Office	Attorney Docket No.: FORS-08314	Serial No.: 10/655,362	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)						
(37 CFF	R O 1.98	(b))		Applicant: Fang Dong et al.		
					Group Art Unit: 1634	
<del></del>				Filing Date: 09/04/2003	Group Art Onit. 1034	
			OTHER DOCUMENTS (Including Author, Title, D	ate, Relevant Pages, Place of Publication)		
E	W	125	Milosavljevic et al., "DNA Sequence Recognition by Hybridizar Genome," Genomics 37:77-86 [1996]	ation to Short Oligomers: Experimental Verification of the Method on the E. coli		
		126	Mishra et al., "Targeting nucleic acid secondary structures by antisense oligonucleotides designed through in vitro selection," Proc. Natl. A. Sci. USA 93:10679-10684 [1996]			
		127	Pan et al., "Divalent Metal Ions in RNA Folding and Catalysis," York, pp. 271-302 [1993]	Chapter 12 in The RNA World, Cold Spri	ng Harbor Laboratory Press, New	
		128	Parinov et al., "DNA Sequencing by Hybridization to Microchip Acids Res. 24(15):2998-3004 [1996]	Octa- and Decanucleotides Extended by St	acked Pentanucleotides," Nucl.	
		129	Parsch et al., "Site-Directed Mutations Reveal Long-Range Con Natl. Acad. Sci. USA 94:928-933 [1997]	npensatory Interactions in the Adh gene of D	rosophila melanogaster," Proc.	
		130	Rosen and Patel, "Structural Features of a Three-Stranded DNA Junction Containing a C-C Junctional Bulge," Biochemistry 32:6576-6587			
		131	Schuster et al., "RNA Structures and Folding: From Conventional to New Issues in Structure Predictions," Cur. Opin. in Struct. Biol. 7:229-235			
		132	Southern, "DNA fingerprinting by hybridization to oligonucleot	ide arrays," Electrophoresis 16(9):1539-154	2 [1995]	
		133	Southern, "DNA chips: analyzing sequence by hybridization to oligonucleotides on a large scale," T/G 12(3):1-6 [1996]			
		134	Strobel and Doudna, "RNA Seeing Double: Close-Packing of Helices in RNA Tertiary Structure," TIBS Reviews 22:262-266 [1997]			
		135	Suo and Johnson, "RNA Secondary Structure Switching During DNA Synthesis Catalyzed by HIV-1 Reverse Transcriptase," <i>Biochemistry</i> 36:14778-14785 [1997]			
		136	Walter et al., "Coaxial Stacking of Helixes Enhances Binding of Oligoribonucleotides and Improves Predictions of RNA Folding," Proc. Nat Acad. Sci USA 91:9218-9222 [1994]			
		137	Weiler et al., "Hybridization Based DNA Screening on Peptide Nucleic Acid (PNA) Oligomer Arrays," Nucl. Acids Res. 25(14):2792-2799 [1997]			
		138	Welch et al., "Structures of Bulged Three-Way DNA Junctions,	" Nucl. Acids Res. 21(19):4548-4555 [1993]		
		139	Woese and Pace, "Probing RNA Structure, Function, and Histor Laboratory Press, New York, pp. 91-117 [1993]	ry by Comparative Analysis," Chapter 4 in T	he RNA World, Cold Spring Harbor	
		140	Wyatt and Tinoco, "RNA Structural Elements and RNA Function York, pp. 465-496 [1993]	on," Chapter 18 in The RNA World, Cold S	pring Harbor Laboratory Press, New	
		141	Ho et al., "Mapping of RNA accessible sites for antisense experiments with oligonucleotide libraries," Nature Biotech 16:59-63 [1998])			
		142	Kirby et al., "Maintenance of pre-mRNA secondary structure by epistatic selection," Proc. Natl. Acad. Sci. USA 92:9047-9051 [1995]			
		143	Tabernero et al., "The Posttranscriptional Control Element of the Simian Retrovirus Type 1 Forms an Extensive RNA Secondary Structure Necessary for Its Function," J. Virol, 70:5998-6011 [1996]			
		144	Ladbury et al., "The Thermodynamics of Formation of a Three-Strand, DNA Three-Way Junction Complex," Biochemistry 33:6828-6833 [1994]			
		145	Leontis et al., "Stability and structure of three-way DNA junctions containing unpaired nucleotides," Nucl. Acids Res. 19:759 766 [1991]			
		146	Zhong et al., "Thermodynamics of dT - dT Base Pair Mismatching in Linear DNA Duplexes and Three-Arm DNa Junctions," Biochemistry 36:2485 2491 [1997]			
		147	Plikaytis et al., J. Clin. Microbiol. 28:1913 (1990)			
N	/	148	Southern, "Detection of Specific Sequences Among DNA Fragr	nents Separated by Gel Electrophoresis," J. J	Mol. Biol, 98;503-517 [1975]	
Examin	er:		/Ethan Whisenant/ Date Considered: 04/27/2006			
EXAM	EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with					